



TRON

L U B R I C A N T S

 **ULTRON**

 **MEGATRON**

 **POWERTRON**

Technical Data Sheet

Megatron 15W-40 CF-4

Specifications, Performance Standards & Recommendations

- API CF-4
- MB 227
- MAN 271

Megatron 15W-40 CF-4 is recommended for use in petrol engines and diesel engines of earlier passenger cars, sports utility vehicles, vans and light trucks operating under vehicle manufacturers recommended maintenance procedures. Its high temperature stability, detergency and protection reserve keeps engine components clean and protected, thus reducing wear, ensuring long engine life over extended service intervals.

Description

Megatron 15W-40 CF-4 is a high performance, mineral based, engine crankcase oil designed to provide outstanding lubrication across a broad range of both petrol and light diesel engines. It is formulated using low volatility base oils which contribute to reduced oil consumption and contains a highly shear stable viscosity modifier to minimise viscosity change caused by changing temperatures.

Benefits

- Exceptional anti-wear performance and engine protection.
- Better high/low temperatures and extreme condition performance.
- Excellent dispersant and detergent capabilities resulting in engine longevity.
- High thermal and oxidative stability that controls sludge build up and deposits.

Typical Physical Characteristics

Megatron 15W-40 CF-4	
SAE No.	15W-40
Viscosity, cSt @ 40°C	110
Viscosity, cSt @ 100°C	14.5
Viscosity Index	138
Flash Point, °C	230
Pour Point, °C	-28
Total Base No., mg KOH/g	7.7

The values of the specifications shown in this table are typical values given as an indication only.

Pack Sizes

- 500 ml ,1 Litre, 5 Litre and 20 Litre Plastic Bottles
- 208 Litre Steel Drums
- 1000 Litre IBC

Health and Safety Information

For recommendations on safe handling and use of this product, please refer to the Material Safety Data sheet available on www.tronlubricants.com

Misrepresentation Act 1967. Trade description Act 1968. The information in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which effect the use and performance of our products for which reason no warranty is given, express or implied. This information sheet was prepared from the best information available at the time of issue. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. It is the responsibility of the user to ensure that the products are used in the applications for which they are intended.