



# TRON

L U B R I C A N T S







## Technical Data Sheet

### Megatron 15W-40 Super High Performance

#### Specifications, Performance Standards & Recommendations

- API CI-4/SL
- ACEA E3/B4
- JASO DH-1 (Level)
- VOLVO VDS-3
- MACK EO-N/EO-M Plus
- Renault RLD-2
- MAN M3275
- MTU Type 2
- Detroit Diesel DDC 93K215
- CAT ECF 1a/2
- Cummins CES 20076/77/78
- DEUTZ DQC III-10
- GLOBAL DHD-1
- ALLISON TES 493
- MB 228.3 / 229.1

Megatron 15W-40 Super High Performance is recommended for use in modern engines operating in constantly changing conditions which impacts engine performance. The premium blend of additive technology is preferred for four stroke turbocharge and naturally aspirated diesel engines both heavy duty and on and off high way burning high and low sulphur diesel.

#### Description

Megatron 15W-40 Super High Performance engine features an exclusive blend of high performance additives to ensure that the oil adapts and protects under a full range of pressure and temperatures found in modern engines. It provides excellent control over high temperature piston deposits, corrosion, foaming, oxidation stability and soot accumulation.

#### Benefits

- Maximum soot handling and excellent wear protection.
- Improved engine cleanliness.
- Combats contaminants resulting in longer oil drain intervals.

#### Typical Physical Characteristics

Megatron 15W-40 Super High Performance	CI-4/SL
SAE No.	15W-40
Viscosity, cSt @ 40°C	110
Viscosity, cSt @ 100°C	14.8
Viscosity Index	140
Flash Point, °C	230
Pour Point, °C	-39
Total Base No., mg KOH/g	10

The values of the specifications shown in this table are typical values given as an indication only.

#### Pack Sizes

- 500 ml ,1 Litre, 5 Litre and 20 Litre Plastic Bottles
- 208 Litre Steel Drums
- 1000 Litre IBC

#### Health and Safety Information

For recommendations on safe handling and use of this product, please refer to the Material Safety Data sheet available on [www.tronlubricants.com](http://www.tronlubricants.com)

Misrepresentation Act 1967. Trade description Act 1968. The information in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which effect the use and performance of our products for which reason no warranty is given, express or implied. This information sheet was prepared from the best information available at the time of issue. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. It is the responsibility of the user to ensure that the products are used in the applications for which they are intended.