



# TRON

L U B R I C A N T S







## Technical Data Sheet

### Megatron 2 Stroke

#### Specification, Performance Standards & Recommendations

- API TC
- ISO GD
- JASO FC

Megatron 2 Stroke is recommended for use in two-stroke motorcycles, scooters, lawnmowers, mopeds and power tools including portable chain saws. Suitable also for mechanical metering systems. Not suitable for outboard motors where NMMA approved TC-W oils are required. The equipment manufacturer's oil/ petrol ratios are recommended but a general guide of 1: 25 ratio of oil/ petrol is suitable for the above types of equipment.

#### Description

Megatron 2 Stroke is a low-ash forming, premium quality oil specifically blended for all standard two – stroke petrol engines, Pre- diluted to an SAE 20 specification, that contains anti-rust and corrosion inhibitors, ideal for two-stroke engines where oil is mixed directly with the petrol in the tank.

#### Benefits

- Reliable and consistent performance.
- Protection against spark plug fouling.
- Low combustion chamber deposits.
- Cleaner exhaust ports and pipes.
- Prevents ring sticking.

#### Typical Physical Characteristics

Megatron 2 Stroke	
SAE No. (with diluent)	20
Viscosity, cSt @ 40 <sup>o</sup> C	52
Viscosity, cSt @ 100 <sup>o</sup> C	8.1
Viscosity Index	125
Flash Point, <sup>o</sup> C	66
Pour Point, <sup>o</sup> C	-18

The values of the specifications shown in this table are typical values given as an indication only.

#### Pack Sizes

- 500 ml ,1 Litre, 5 Litre and 20 Litre Plastic Bottles
- 208 Litre Steel Drums
- 1000 Litre IBC

#### Health and Safety Information

For recommendations on safe handling and use of this product, please refer to the Material Safety Data sheet available on [www.tronlubricants.com](http://www.tronlubricants.com)

Misrepresentation Act 1967. Trade description Act 1968. The information in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which effect the use and performance of our products for which reason no warranty is given, express or implied. This information sheet was prepared from the best information available at the time of issue. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. It is the responsibility of the user to ensure that the products are used in the applications for which they are intended.